

Work Order ID 149425

Monday, July 25, 2016 1:14:50 PM

149425

DRAB GREEN

Page 1

Item ID: D2803-042

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Bracket Assembly

Stop

NS2

Start Date: 9/27/2016 Start Qty: 11.00

11

Cust Item ID:

Required Date: 9/30/2016 Req'd Qty: 11.00

11

Customer:

Reference:

Approvals:

Process Plan: DAS

Date:

Tooling:

Date:

Run Start

NR1QC: 21
9-89

Date:

JUL 26 2016

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

D2803

C

100

0.00

100

Small Fab

Small Fab

Memo

0.13

Small Fab

Press D2805-2 and D2809 into arm as per Dwg D2803

11x

16/09/20

DAS
36
9-89

110

QC5- Inspect part completeness to step on W/O

0.00

110

QC

Memo

0.04

Quality Control

11

SEP 21 2016

DAS
38
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : ☐									

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : ☐									

Work Order ID 149425

Monday, July 25, 2016 1:14:50 PM

149425

Page 3

Item ID: D2803-042 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Bracket Assembly
Start Date: 9/27/2016 Start Qty: 11.00 ***11*** Cust Item ID:
Required Date: 9/30/2016 Req'd Qty: 11.00 ***11*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160 *160* QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.04			DAS 30 9-89	11			NOV 08 2016
170 *170* Packaging Packaging	Identify as per dwg & Stock Location <u>GA</u> Memo	0.00 0.02				11X			16/11/09 ^{DAS 36 9-89}
180 *180* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.18							16/11/10 ^{DAS 21 9-89}

DAS
21
9-89

NOV 09 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By																																																									
3AL 08 -01-8								Lead hand / Supervisor Approval Verification																																																									
								QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

Monday, July 25, 2016 1:14:50 PM

Page 1

149425

D2803-042

Required Date: 9/30/2016

Required Qty: 11.00

Comments: IPP F05.03.30MS21043-3 was MS21042L3KJ/JLM 16.06.23 AS PER DWG REV.C DD VERF:JLM IPP REV:G

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2803-2		Manufactured	No			100	Each	4.0000	1	11			
D2803-2									**				DAS 36 9-89
Bracket												16/09/20	
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST473				4					
					146565			4					149325 (1X)
D2805-2		Manufactured	No			100	Each	14.0000	1	11			
D2805-2									**				DAS 36 9-89
Stop												16/09/20	
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				GA				14					
					130072			4					
					146663			10					149476 (1X)
D2809		Manufactured	No			100	Each	33.0000	1	11			
D2809									**				DAS 36 9-89
Washer												16/11/07	
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				GA				8					
					127638			4					
					130466			2					
					146514			2					
				ST011				25					
					138750			14					
					34035			11					B149434 (1X)

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____																																																									
Description Work Order Deviation				Disposition																																																													
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

Picklist Print

Monday, July 25, 2016 1:14:50 PM

Page 2

Work Order ID: 149425

149425

Parent Item: D2803-042

D2803-042

Parent Item Name: Bracket Assembly

Start Date: 9/27/2016

Required Date: 9/30/2016

Start Qty: 11.00

Required Qty: 11.00

AN3C16A

Purchased

No

150

Each

89.0000

2

22

AN3C16A

BOLT

16/11/07 DAS 36 9-89

Location

Loc Qty

Loc Code

ST348

89

m131153

2

m131957

12

m134955

75

135704
22x

D3672-15

Manufactured

No

150

Each

231.0000

4

44

D3672-15

Phenolic Washer

16/11/07 DAS 36 9-89

Location

Loc Qty

Loc Code

ST050

231

148073

231

149430 44x

MS21043-3

Purchased

No

150

Each

920.0000

2

22

MS21043-3

Nut

16/11/07 DAS 36 9-89

Location

Loc Qty

Loc Code

FG

80

103691

80

FP001

11

m130673

11

GA

237

m133990

237

22

OVER007

400

m135058

400

ST302

86

m134861

86

ST304

106

m131340

106

Monday, July 25, 2016 1:14:50 PM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: _____ Date: _____

Work Order update only ☐


Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : _____							

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 149425 MLJ
1607-26

ITEM	QTY -041	QTY -042	P/N	DESCRIPTION
	X		D2803-041	BRACKET ASSY
		X	D2803-042	BRACKET ASSY
1	1		D2803-1	STA 84 BRACKET
2		1	D2803-2	STA 84 BRACKET
3	1		D2805-1	STOP
4		1	D2805-2	STOP
5	1	1	D2809	SPACER
6	4	4	D3672-15	PHENOLIC WASHER
7	2	2	AN3C16A	BOLT
8	2	2	MS21043-3	NUT, SELF-LOCKING



D2803-041 BRACKET ASSY



D2803-042 BRACKET ASSY

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: POWDER COAT "GLOSS WHITE" (4.3.5.1) OR "GREY SANDTEX" (4.3.5.6) OR "BLACK SANDTEX" (4.3.5.7) OR "GREEN SANDTEX" (4.3.5.8) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER DART QSI 044 6.1
 - 7) WEIGHT: 1.58 lbs
 - 8) PRESS D2805-X AND D2809 INTO PLACE PRIOR TO POWDER COAT
 - 9) INSTALL BOLT WITH LPS-3 CORROSION INHIBITOR, ENSURE NO LPS-3 ON THREADS

RELEASED


2016 JUN 22 q
ECN 16-661

C	REVISE TO CURRENT FORMAT; ADD DETAILS A AND F AND SECTION E-E; D3672-15 WAS NAS1515H3. ZONES C3-3/C6-4 AND B3-3/B6-3: 2.656 WAS 2.654 AND 0.438 WAS 0.437; REASON: CAD ERROR.	MB	16.04.11
B	ADD CUTOUTS AND -043/-044	CP	04.11.22
A	NEW ISSUE	CP	00.11.07
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	MB		
CHECKED	ML	DRAWING NO.	REV. C
MFG. APPR.	JLM	D2803	SHEET 1 OF 4
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	STA 84 BRACKET	NTS
DATE	16.04.11	COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	


APPROVED

8 7 6 5 4 3 2 1

ITEM	QTY -043	QTY -044	P/N	DESCRIPTION
	X		D2803-043	BRACKET ASSY
		X	D2803-044	BRACKET ASSY
1	1		D2803-1	STA 84 BRACKET
2		1	D2803-2	STA 84 BRACKET
3	1		D2805-3	STOP
4		1	D2805-4	STOP
5	1	1	D2809	SPACER
6	4	4	D3672-15	PHENOLIC WASHER
7	2	2	AN3C16A	BOLT
8	2	2	MS21043-3	NUT, SELF-LOCKING



D2803-043 BRACKET ASSY



D2803-044 BRACKET ASSY

RELEASED
2016 JUN 22 *up*


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "GLOSS WHITE" (4.3.5.1) OR "GREY SANDEXT" (4.3.5.6) OR "BLACK SANDEXT" (4.3.5.7) OR "GREEN SANDEXT" (4.3.5.8) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER DART QSI 044 6.1
- 7) WEIGHT: 1.58 lbs
- 8) PRESS D2805-X AND D2809 INTO PLACE PRIOR TO POWDER COAT
- 9) INSTALL BOLT WITH LPS-3 CORROSION INHIBITOR, ENSURE NO LPS-3 ON THREADS

APPROVED

DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	MB		
CHECKED	ML	DRAWING NO.	REV. C
MFG. APPR.	JLM	D2803	SHEET 2 OF 4
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	STA 84 BRACKET	NTS
DATE	16.04.11	COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1



NOTES:


- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-225/8 (OR AMS 4117/4128/4115/4116) OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160) REF. DART SPEC. M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: R0.030 TO 0.063 ON ALL EDGES
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 1.22 lbs
- 8) MACHINE PER PART FILE D2803_REV.C.SLDPR

APPROVED


DESIGN	CP	DART AEROSPACE LTD	
DRAWN	MB	HAWKESBURY, ONTARIO, CANADA	
CHECKED	ML	DRAWING NO.	REV. C
MFG. APPR.	JLM	D2803	SHEET 3 OF 4
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	STA 84 BRACKET	NTS
DATE	16.04.11	COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMERCIAL OR INDUSTRIAL PURPOSE WITHOUT PERMISSION FROM DART AEROSPACE LTD.	

RELEASED


2016 JUN 22




D2803-2 STA 84 BRACKET




DETAIL F
SCALE 2X




SECTION G-G
(ROTATED)




SECTION H-H
(ROTATED)



SECTION J-J
(ROTATED)



SECTION K-K
(ROTATED)



RELEASED
2016 JUN 22

NOTES:

- 1) MATERIAL: 6061-T6/T651/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-225/8 (OR AMS 4117/4128/4115/4116) OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160) REF. DART SPEC. M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: R0.030 TO 0.063 ON ALL EDGES
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 1.22 lbs
- 8) MACHINE PER PART FILE D2803_REVC.SLDPRT

APPROVED

DESIGN	CP	DART AEROSPACE LTD	
DRAWN	MB	HAWKESBURY, ONTARIO, CANADA	
CHECKED	ML	DRAWING NO.	REV. C
MFG. APPR.	JLM	D2803	SHEET 4 OF 4
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	STA 84 BRACKET	NTS
DATE	16.04.11	COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE REPRODUCED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	